


Model No.: **GPCR2**

|                              |  |
|------------------------------|--|
| <b>NO MERCURY ADDED</b>      |  |
| <b>Description</b>           | : Lithium Battery  |
| <b>Chemical System</b>       | : Lithium Manganese Dioxide  |
| <b>Nominal Voltage</b>       | : 3.0 Volts  |
| <b>Nominal Capacity</b>      | : 800mAh   |
| <b>Nominal Dimensions</b>    | : $\phi 15.3$ mm x 26.5 mm   |
| <b>Terminals</b>             | : Flat   |
| <b>Jacket</b>                | : PVC Resin Label  |
| <b>Shelf Life</b>            | : up to 10 years   |
| <b>Average Weight</b>        | : App. 10g   |
| <b>Application</b>           | : Photo  |
| <b>Operating Temperature</b> | : $-40^{\circ}\text{C}$ to $60^{\circ}\text{C}$                                    |
| <b>Storage Temperature</b>   | : $10^{\circ}\text{C}$ to $30^{\circ}\text{C}$ and less than 60% relative humidity |


### Cross References:

|     |          |
|-----|----------|
| GP  | Duracell |
| CR2 | DLCR2    |




Unit : mm

**Discharge Characteristics**  
900mA, 3 seconds on / 27 seconds off



**Continuous Discharge at  $23^{\circ}\text{C}$**



The information (subject to change without prior notice) contained in this document is for reference only and should not be used as a basis for product guarantee or warranty. For applications other than those described here, please consult your nearest GP Sales and Marketing Office or Distributors.